

राष्ट्रीय विज्ञान संग्रहालय परिषद
National Council of Science Museums
ब्लॉक-जी एन, सेक्टर-V, बिधान नगर
Block - GN, Sector - V, Bidhan Nagar
कोलकाता/Kolkata - 700 091

सं-आई/I-13019/1/974

दिनांक/Dated: 06.06.2018

कार्यालय आदेश /OFFICE ORDER NO. 27/2018

Based on the recommendations of the 145th meeting of the Directors' Committee of NCSM held on 26.05.2018, it has been decided that checking/verification of measurements in case of measureable items in Civil/Electrical/Mechanical work in NCSM shall henceforth be carried out by another officer from the concerned section so as to ensure accuracy of measurements.

This issues with the approval of DG, NCSM.

च. दास
(चंद्रकांत दास/Chandrakant Das)
सचिव /Secretary

To:-

- 01.Directors of all NCSM units/MD, CMD
- 02.PPS to DG, NCSM
- 03.CoFA, NCSM
- 04.PCs of all NCSM units
- 05.Sr. CoA/CoA/Dy. CoA of all NCSM units
- 06.DSOs of all NCSM units
- 07.Dy. CoFA/F&AO of all NCSM units
- 08.PRO, NCSM
- 09.Office Order Register
- 10.Office Copy