

राष्ट्रीय विज्ञान संग्रहालय परिषद
National Council of Science Museums
ब्लॉक-जी एन, सेक्टर-V, बिधान नगर
Block - GN, Sector - V, Bidhan Nagar
कोलकाता/Kolkata-700091

I-13019/1/839


Date: 17.09.2020

परिपत्र/CIRCULAR

In supersession of NCSM Circular no. I-13019/1/16, dated 01.05.2020 and in pursuance of the order no. 40-3/2020-DM-1(A), dated 29.8.2020 issued by the Ministry of Home Affairs, Government of India, the following guidelines may strictly be followed regarding use of '**Aarogya Setu**' application to improve the safety of all government officials:

1. '**Aarogya Setu**' enables early identification of potential risk of infection and thus acts as a shield for individuals and the community;
2. With a view to ensuring safety in offices and work places, employers on best effort basis should ensure that '**Aarogya Setu**' is installed by all employees having compatible mobile phones.
3. Directors/PC's/DSO's should ensure that above directions are strictly followed in the respective museums/Centres;

This issue with the approval of the competent authority.


(समरेन्द्र कुमार/Samarendra Kumar)
निदेशक (मुख्यालय) एव प्रभारी सचिव/
Director (Hqrs.) & Secretary-in-Charge

To:

1. All Directors of NCSM/MD, CMD
2. PPS to DG, NCSM
3. Chief Engineer, NCSM
4. All PCs/DSOs
5. All COA/Dy. COA of NCSM
6. Office Copy