

Annexure F

Intel 8th Gen NUC Core i5 Mini PC (Intel Core I5 NUC NUC8i5BEH + 8GB DDR4 Ram + 250GB SSD) -----6 Nos

Item Height 5.1 Centimeters

Item Width 11.2 Centimeters

Standing screen display size 17 Inches

Product Dimensions 11.7 x 11.2 x 5.1 cm; 1.2 Kilograms

Processor Brand Intel

Processor Type Core i5

Processor Speed 2.3 GHz

Processor Count 4

Computer Memory Type SODIMM

Maximum Memory Supported 8 GB

Hard Drive Size 250/128 GB

Hard Disk Description SSD

Hard Drive Interface Solid State

Graphics Card Interface Integrated

Connectivity Type Bluetooth, Wi-Fi

Wireless Type 802.11b, 802.11a, 802.11g

Number of USB 2.0 Ports 2

Voltage 1.2 Volts

Wattage 90 Watts

Item Weight 1 kg 200 g

Display Port: Two Port Minimum **One HDMI and Other C-Type/ Mini DP/Mini HDMI/HDMI**

Operation System to be provided With: **Windows 10 Professional**

Warranty: **3 Years Onsite Warranty**

Handwritten signature
9/3/21

55 inch LED TV -----10 nos

Display Technology LED
 Standing screen display size 55 Inches
 Display Type LED
 Viewing Angle 178 Degrees
 Image Aspect Ratio 16:9
 Image Brightness High brightness
 Image Contrast Ratio 10,000,000 : 1
 Supported Image Type TIFF, GIF, PNG, JPEG
 Screen Resolution 1920 x 2160 pixels/3840x2160 Pixels
 Supported Audio Format Mp3_audio, Wma
 Speaker Surround Sound Channel Configuration DTS Virtual:X
 Audio Wattage 20 Watts
 Refresh Rate 50 Hz
 Total Usb Ports 2
 USB video Play :MP4, AVI
 Connector Type USB, Hdmi
 Maximum Operating Distance 8 Feet
 Mounting Type Wall Mount included
 Media Format AVI, Blu-ray, DVD, MPEG, WAV, WMA
 Remote Control Included? Yes
 Brand Reliability Minimum 8 years business in india
 Display port Minimum 2 HDMI support
 Power Supply 220-230V 50 Hz
 Warranty 1year

Ank
 9/3/21

Touch Screen 23" 6 nos

Display size (diagonal) 58.42 cm (23)
Display area (metric) 50.92 x 28.64 cm
Aspect ratio 16:9
Resolution (native) 1920 x 1080 @ 60 Hz
Resolutions supported 1920 x 1080; 1680 x 1050; 1600 x 900; 1440 x 900;
1280 x 1024; 1280 x 800; 1280 x 720; 1024 x 768; 800 x 600; 720 x 400; 640 x
480
Pixel pitch 0.2652 mm
Brightness 250 cd/m²
Contrast ratio 1000:1 static; 500000:1 dynamic
View angle 178° horizontal, 178° vertical
Response time 5 ms on/off
Tilt and swivel angle Tilt: -5 to +25°; Swivel: ±180°; Pivot rotation: 90°;
Height: 150 mm
Onscreen controls Menu; Minus ("-"); Plus ("+") /Input Control; OK/Auto;
Power
Display features Anti-glare; In plane switching; Language selection; LED
Backlights; On-screen controls; Pivot rotation; Plug and Play; User
programmable; Touch enabled; User controls
Tilt Tilt: -5 to +25°; Swivel: ±180°; Pivot rotation: 90°; Height: 150 mm
CONNECTIVITY
Display Input Type 1 VGA; 1 HDMI 1.4 (with HDCP support); 1 DisplayPort 1.2
(with HDCP support)
Dimensions without stand (W x D x H) 52.08 x 5.23 x 31.195 cm (Approx)
Dimensions with stand (W x D x H) 52.08 x 5.23 x 31.195 cm (Approx)
Power Input voltage: 100 to 240 VAC 50HZ

Reasberry Pi 3

10 nos

Handwritten signature and date: 29/3/21