



# NCSM

राष्ट्रीय विज्ञान  
संग्रहालय परिषद्  
संस्कृति मंत्रालय  
भारत सरकार



**NATIONAL COUNCIL OF SCIENCE MUSEUMS**  
Ministry of Culture, Govt. of India

Ref: I-18015/3(RTI) / 2071-72  
Date: 04.02.2020

To  
Shri Rajneesh Mann  
House No. 111, Khara Khurd  
Delhi, Pin - 110 082

Speed Post

**Sub: Information under RTI Act, 2005**

Sir,

With reference to your RTI application (Registration No. MCULT/R/2019/50260/6 dated 09.12.2019) received at this office on 27.01.2020 through Ministry of Culture, the information in respect of National Council of Science Museums is furnished below:

Query	Reply
Ref to Revised tentative vacancies of Stenographer Grade C and D Examination 2018	
1. The Number of Vacancy declared under UR category and the number of seats available for Stenographer Grade C and Grade D in New Delhi.	Not known to NCSM.
2. The vacancy submitted for Stenographer Grade C and D is for which Department under Ministry of Culture.	Not known to NCSM.
3. The state wise break up of vacancies declared.	No information is available.

If you are not satisfied with the information furnished above, you may prefer an appeal before the First Appellate Authority, whose particulars are given below.

First Appellate Authority under RTI Act  
National Council of Science Museums  
Block-GN, Sector-V, Bidhan Nagar  
Kolkata - 700091

Thanking you,

Yours faithfully,  
Sd/-

(Sasti Ghosal)

Controller of Administration & CPIO

Copy to:

✓ Shri S. C. Mondal  
Under Secretary  
Govt. of India, Ministry of Culture  
Shastri Bhavan  
New Delhi - 110001

- for kind information please

राष्ट्रीय विज्ञान संग्रहालय परिषद्  
33 ब्लॉक-जी.एन. सेक्टर-5, बिधान नगर  
कोलकाता 700091

कार्यालय प्रति

संलग्न है/ नहीं

दिनांक 04/02/2020

हस्ताक्षर

Controller of Administration

33, ब्लॉक-जी एन, सेक्टर-5  
विधान नगर, कोलकाता - 700091

33, BLOCK-GN, SECTOR-V, BIDHAN NAGAR, KOLKATA-700091, INDIA  
PHONE: (91) (33) 23575545, 23579347, 23570850, FAX : (91) (33) 23576008  
e-mail : sciencecentre@ncsm.gov.in, website: www.ncsm.gov.in